



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live.

Mitchell E. Daniels, Jr.
Governor
Thomas W. Easterly
Commissioner

November 26, 2007

100 North Senate Avenue
Indianapolis, Indiana 46204
(317) 232-8603
(800) 451-6027
www.IN.gov/idem

VIA CERTIFIED MAIL 7005 1160 0001 2613 0348

Donald Matthews, President
Ray's Trash Service, Inc.
3859 East US Highway 40
Clayton, Indiana 46118

Re: Approval of Renewal of
Solid Waste Facility Permit, FP 32-03
Ray's Trash Service, Inc.
Hendricks County

Dear Mr. Matthews:

The permit renewal application for the above-referenced facility as received on August 1, 2007 and addendum received August 23, 2007, have been reviewed and certified as meeting the requirements of IC 13-15-1-3 and 329 IAC 11-11-2. This permit renewal applies to the transfer station located at 3859 East US Highway 40 in Hendricks County which contains approximately 3.98 acres. The permittee or operator shall operate this facility according to the terms and requirements of this permit renewal letter and enclosures and the applicable statutes and regulations in effect on the effective date of this renewal. This facility permit renewal FP 32-03 will expire on November 1, 2012.

This permit renewal allows Ray's Trash Service, Inc. to operate the facility subject to the terms of this letter and the enclosed requirements. In accordance with 329 IAC 11-11-4, solid waste facility permit FP 32-03 does not authorize: any injury to any person or private property; the invasion of other private rights; the infringement of federal, state, or local laws or regulations; nor preempt any duty to comply with other state or local requirements.

In order to continue operation past this permit's expiration date, a renewal application in accordance with 329 IAC 11-9-4 must be submitted at least one hundred twenty (120) days prior to the expiration date of November 1, 2012.

Pursuant to IC 4-21.5, a Petition for Review of this permit renewal letter may be initiated by you, as applicant, or by an "aggrieved or adversely affected person." This permit renewal becomes effective once all applicable time periods for petitioning for Stays of Effectiveness have expired, unless you are notified in writing by an Environmental Law Judge that the permit renewal has been further stayed. As discussed in our enclosed Notice of Decision, if you wish to challenge this decision, you must file a Petition for Review with the Office of Environmental Adjudication within eighteen (18) days from the date that this permit renewal letter was mailed, pursuant to IC 4-21.5-3-7.

Mr. Matthews
Page 2

If you have any questions regarding this matter, please call (800) 451-6027, press 0 and ask for Kelly Hall, or ask for extension 3-0449 or call 233-0449.

Sincerely,

A handwritten signature in black ink, appearing to read 'Thomas Linson', with a stylized flourish at the end.

Thomas Linson, Chief
Permits Branch
Office of Land Quality

Enclosure: Permit Requirements
Notice of Decision
Letter to The Republican
Letter to The Hendricks County Flyer
Letter to the Danville Public Library

cc: Hendricks County Health Department (with enclosure)
Hendricks County Commissioners (with enclosure)
West Central Indiana Solid Waste Management District (with enclosure)

PERMIT REQUIREMENTS

- A. General Requirements**
- B. Construction Requirements**
- C. Pre-Operational Requirements**
- D. Closure/Post-Closure Requirements**

A. GENERAL REQUIREMENTS

- A1. It is recommended that all required submittals be printed double-sided and sent via certified mail. All reports, notifications, ground water reports, and other information required to be submitted by this permit should be sent to:

**Ms. Kelly Hall
Indiana Department of Environmental Management
Office of Land Quality
Solid Waste Permits Section - Mail Code 65-45
100 North Senate Avenue, Rm. 1154
Indianapolis, Indiana 46204-2251**

- A2. The facility shall operate in accordance with the applicable requirements of 329 IAC 11.
- A3. The facility shall accept waste in accordance with 329 IAC 11-8-2.5, unless otherwise specified by this permit.
- A4. The following requirements apply to insignificant modifications at the facility:
- a. The permittee may not be required to apply for a minor or a major modification of the current permit from IDEM if proposing one of the insignificant modifications described in 329 IAC 11-2-19.5.
 - b. If the permittee proposes or is required to make one of the insignificant modifications described at 329 IAC 11-2-19.5, the permittee shall follow the procedures for an insignificant modification described at 329 IAC 11-9-6.
- A5. The facility that receives industrial process waste as defined in 329 IAC 10-2-95, shall comply with the requirements of 327 IAC 15-6.

B. CONSTRUCTION REQUIREMENTS

- B1. The ground surface around the facility must be properly sloped, graded, and maintained to promote proper surface water run-off and to prevent ponding of water.
- B2. The facility shall be constructed according to the plans submitted to the Indiana Department of Environmental Management (IDEM). Any changes in the plans must be submitted to and approved by IDEM.
- B3. Certified record drawing(s) must be provided within thirty (30) days from the completion of the construction. The drawings must describe all of the surface, including the floor elevation of each corner, slope breaks, all pipe inverts, and the top of castings.

C. PRE-OPERATIONAL REQUIREMENTS

- C1. The permittee shall comply with the requirements of 329 IAC 11-12 (Operational Approval and Pre-Operational Requirements).
- C2. The facility shall notify IDEM in writing when all applicable pre-operational requirements as specified in 329 IAC 11-12-2(1) through (3) have been completed. Unless IDEM denies operational approval within fourteen (14) days of receipt of such notice, the facility may begin to accept solid waste in accordance with its permit.
- C3. The facility shall establish and submit financial assurance for closure and post-closure as specified in Section D of this permit, prior to commencing operation at the facility.

D. CLOSURE/POST-CLOSURE REQUIREMENTS

- D1. The permittee must close and maintain the facility during the one-year post-closure period that:
 - a. Minimizes the need for further maintenance;
 - b. Controls post-closure escape of contaminants to the ground surface, surface waters, ground waters or the atmosphere;
 - c. At a minimum is in compliance with all applicable requirements of this permit.
- D2. The permittee shall notify IDEM when the facility closes. The final closure of the facility shall be initiated within seventy-two (72) hours after receiving the final volume of waste. The following closure activities shall be performed at the facility during the final closure:
 - a. Notification of all affected parties that the facility closed. A sign and reference of the nearest landfill or other processing facility may be established at the site.
 - b. Removal of all solid waste left or stored at the facility. The waste must be properly disposed of at a permitted facility. Removal of all storage containers and recyclable materials.
 - c. Clean-up of tipping floor and waste storage areas so they are free of waste and contaminated liquid.
 - d. Removal of wastewater holding tanks if applicable. The wastewater must be pumped out and properly disposed of in accordance with local, State, and federal statutes and rules.
 - e. Clean-up of septic tank if applicable.

- f. Clean-up of sediment pond wherever applicable. Dredging of sediments may be necessary.
- D3. Waste that contains any significant putrescible component, or any other waste that may create pollution conditions, shall be removed from the facility within two (2) days of initiation of the facility final closure. All other closure activities shall be completed within ninety (90) days of initiation of the final closure activities.
- D4. The permittee shall submit to IDEM within thirty (30) days of closure, a certification signed by the permittee which specifically identifies the closed facility and documents that the closure was performed in accordance with the above-listed conditions. The certification shall also include the facility contact person during the post-closure care period, the person's name, address, and phone number.
- D5. The final closure will be deemed adequate unless within ninety (90) days of receipt of the certification required in Condition D4 of this letter, IDEM issues a request for additional information for final closure, including additional action which needs to be taken and the timetable for the necessary additional action.
- D6. The permittee shall perform post-closure care for one (1) year at the facility following completion of closure activities. The following duties shall be implemented after closure of the facility has been certified and deemed adequate by IDEM:
- a. Inspection of the facility semi-annually followed by a written inspection report on the condition of the facility to be submitted to IDEM within thirty (30) days of the inspection.
 - b. Maintenance of the facility surface water run-off control wherever applicable.
 - c. Maintenance of access control.
 - d. Removal of any waste that may be illegally dumped at the closed facility.
- D7. When the post-closure care requirements as specified in Condition D6 of this letter have been completed, the permittee shall submit within thirty (30) days a certification statement signed by the permittee that the post-closure care requirements have been met. The post-closure certification will be deemed adequate unless within ninety (90) days of receipt of the certification, IDEM issues a request for additional information for post-closure, including action necessary to correct the deficiency.
- D8. Subsequent to the completion of post-closure, the owner or operator of a closed facility or the owner of real estate upon which a closed facility is located shall be responsible for immediately correcting and controlling any nuisance conditions occurring at the facility.

- D9. The permittee shall adequately fund closure and post-closure of the facility. Until final closure of the facility is certified, the permittee must annually review and submit to IDEM the updated financial closure and post-closure estimate no later than June 15 of each year. As a part of the annual review, the permittee must revise the closure and post-closure estimates as listed in 329 IAC 10-39-2(c)(1)(A) and (B) and/or for any changes in the facility plans that may increase the cost of closure or post-closure.
- D10. The permittee shall establish financial responsibility of closure and post-closure similar to that provided for in 329 IAC 10-39 prior to beginning operations at the facility. The sum used for funding of the closure and post-closure of the facility shall be \$16,000. The permittee may revise the cost estimates by submitting a detailed cost analysis for closure and post-closure of the facility. The revised cost estimates must be approved by IDEM prior to implementation of any changes in the originally approved fund. However, the sum of the closure cost estimate and post-closure cost estimate shall not be less than four thousand dollars (\$4,000) per acre or a fraction of an acre covered by the permitted facility.

